

**CERTIFICATE OF ANALYSIS  
ANALYTICAL SCORECARD**  
Clean Label Project Transparency Project

1/19/2026  
Lifevine Wines  
www.lifevinewines.com  
[info@lifevinewines.com](mailto:info@lifevinewines.com)

Ellipse Analytics  
7000 Broadway, Suite 307  
Denver, CO 80221  
[CLPCertificationTeam@ellipseanalytics.com](mailto:CLPCertificationTeam@ellipseanalytics.com)

**Product:** Lifevine Wines Rosé CA  
**Batch/Lot Number:** 25ROCA:LV.1

**PRODUCT TEST SUMMARY**

Analytes Tested	
Heavy Metals	✓
Glyphosate	✓
Pesticides	✓
<b>CLP Purity Award:</b>	<b>Best Third</b>



**WHAT A CLP PURITY AWARD CERTIFICATION MEANS**

This CLP Certified product

- Outperforms (at least) 2/3 of wines tested, with over 200 samples tested in total
- Meets safety limits based on conservative health standards (such as Prop 65)

Was purchased through normal customer channels and tested by an independent ISO-accredited laboratory



The testing for the CLP datasets, as well as the products applying for certification, are conducted at the Ellipse Analytics ISO 17025 accredited laboratory. For more information on this lab's accreditation, please [click here](#). All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>  
<sup>2</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>  
<sup>3</sup>Glyphosate Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

## ANALYTICAL SCORECARD NEED TO KNOW'S

### Clean Label Project Purity Award Summary

The **CLP Purity Award** looks at products within a certain product category and, using SPINS, Niensens and/or Amazon's Top Sellers data, purchased the products that make up that category and tested them for a battery of tests to create a dataset for that category. When products apply for the **CLP Purity Award**, they undergo the same tests that the category dataset underwent, their test results are compared directly against the dataset comprised of products within the same category. In order to comply the **CLP Purity Award** and received a **Pass** rating, their test results need to place within the top 1/3 of the dataset, meaning they outperform AT LEAST 2/3 of the products within that category.

### Test Results & Findings

Test results are reported in parts per billion (ppb), meaning that any positive result reported on the Certificate of Analysis represent an incredibly small amount of that contaminant (or Analyte) was found (as a real world comparison, 1 ppb in time would be the same as 1 second out of 31.7 years).

Once the results are reported to Ellipse Analytics' CLP Certification Team, they take the ppb result and, combined with the products' serving size, determine the micrograms (ug) per serving for each contaminant - this means the findings (reported below) represent how much of each contaminant you're consuming, if any, per serving.

Using a variety of evaluation tools, the CLP Certification Team looks at the test results to ensure that no one contaminant result is above California's Prop 65 limits (as this represents some of the strictest standards across the country). After passing this initial screening, the individual test results are then not only compared against those same test results within the dataset (e.g. Heavy Metals compared to Heavy Metals), but they are then also combined into an aggregate score known as the Purity Score – this is the final product score, taking into account all of the individual contaminants and the product's serving size, that must place within the top 1/3 of the dataset in order to achieve the CLP Purity Award.

### How To Read This Scorecard

<b>Analyte</b>	The specific contaminant that we're looking at
<b>Tolerance</b>	Represents the CA Prop 65 limit for that particular contaminant
<b>Findings (ug/serving)</b>	Represents the ug/serving amount for each contaminant; a result of 0.000 means this contaminant was not detected above laboratory reporting limits
<b>CLP Purity Award Compliance</b>	Pass / Fail: Meets / Does not Meet the established safety thresholds required for this particular contaminant

The testing for the CLP datasets, as well as the products applying for certification, are conducted at the Ellipse Analytics ISO 17025 accredited laboratory. For more information on this lab's accreditation, please [click here](#). All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

<sup>3</sup>Glyphosate Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

## ANALYTICAL SCORECARD

### Heavy Metals Scorecard

Analyte	Tolerance <sup>1</sup>	Findings (ug/serving)	CLP Purity Award Compliance
Arsenic	10 ug/day	0.000	Pass
Cadmium	4.1 ug/day	0.000	Pass
Mercury	0.3 ug/day	0.000	Pass
Lead	0.5 ug/day	0.000	Pass

### Glyphosate Scorecard

Analyte	Tolerance <sup>3</sup>	Findings (ug/serving)	CLP Purity Award Compliance
Glyphosate	1,100 ug/day	0.000	Pass

### Pesticides Scorecard

**Number of Pesticides Tested For: 197 | Number of Pesticides Found:**

Analyte	Tolerance <sup>2</sup>	Findings (ug/serving)	CLP Purity Award Compliance
3-Hydroxycarbofuran	Varies	0.000	Pass
Abamectin	Varies	0.000	Pass
Acephate	Varies	0.000	Pass
Acetamaprid	Varies	0.000	Pass
Aldicarb	Varies	0.000	Pass
Aldicarb-sulfoxide	Varies	0.000	Pass
Aldoxycarb (Aldicarb_sulfone)	Varies	0.000	Pass
Ametryn	Varies	0.000	Pass
Aminocarb	Varies	0.000	Pass
Amitraz	Varies	0.000	Pass
Azoxystrobin	Varies	0.000	Pass
Baycor (Bitertanol)	Varies	0.000	Pass
Benalaxyl	Varies	0.000	Pass
Bendiocarb	Varies	0.000	Pass
Benzoximate	Varies	0.000	Pass

The testing for the CLP datasets, as well as the products applying for certification, are conducted at the Ellipse Analytics ISO 17025 accredited laboratory. For more information on this lab's accreditation, please [click here](#). All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

<sup>3</sup>Glyphosate Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

Bifenazate	Varies	0.000	Pass
Boscalid	Varies	0.000	Pass
Bromuconazole	Varies	0.000	Pass
Bupirimate	Varies	0.000	Pass
Buprofezin	Varies	0.000	Pass
Butafenacil	Varies	0.000	Pass
Butoxycarboxim	Varies	0.000	Pass
Carbaryl	Varies	0.000	Pass
Carbendazin	Varies	0.000	Pass
Carbetamide	Varies	0.000	Pass
Carbofuran	Varies	0.000	Pass
Carboxin	Varies	0.000	Pass
Carfentrazone-ethyl	Varies	0.000	Pass
Chlorantraniliprole	Varies	0.000	Pass
Chlorfluazuron	Varies	0.000	Pass
Chlorotoluron	Varies	0.000	Pass
Chloroxuron	Varies	0.000	Pass
Clethodim	Varies	0.000	Pass
Clofentezine	Varies	0.000	Pass
Clothianidin	Varies	0.000	Pass
Cyazofamid	Varies	0.000	Pass
Cycluron	Varies	0.000	Pass
Cymoxanil	Varies	0.000	Pass
Cyproconazole	Varies	0.000	Pass
Cyprodinil	Varies	0.000	Pass
Cyromazine	Varies	0.000	Pass
Desmedipham	Varies	0.000	Pass
Diclotophos	Varies	0.000	Pass
Diethofencarb	Varies	0.000	Pass
Difenoconazole	Varies	0.000	Pass
Diflubenzuron	Varies	0.000	Pass
Dimethoate	Varies	0.000	Pass
Dimethomorph	Varies	0.000	Pass
Dimoxystrobin	Varies	0.000	Pass
Diniconazole	Varies	0.000	Pass
Dinotefuran	Varies	0.000	Pass
Dioxacarb	Varies	0.000	Pass
Diuron	Varies	0.000	Pass
Doramectin	Varies	0.000	Pass

The testing for the CLP datasets, as well as the products applying for certification, are conducted at the Ellipse Analytics ISO 17025 accredited laboratory. For more information on this lab's accreditation, please [click here](#). All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

<sup>3</sup>Glyphosate Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

Emamectin B1a	Varies	0.000	Pass
Epoxiconazole	Varies	0.000	Pass
Eprinomectin B1a	Varies	0.000	Pass
Ethiofencarb	Varies	0.000	Pass
Ethiprole	Varies	0.000	Pass
Ethirimol	Varies	0.000	Pass
Ethofumesate	Varies	0.000	Pass
Etoxazole	Varies	0.000	Pass
Famoxadone	Varies	0.000	Pass
Fenamidone	Varies	0.000	Pass
Fenarimol	Varies	0.000	Pass
Fenzaquin	Varies	0.000	Pass
Fenbuconazole	Varies	0.000	Pass
Fenhexamid	Varies	0.000	Pass
Fenobucarb	Varies	0.000	Pass
Fenoxycarb	Varies	0.000	Pass
Fenpropimorph	Varies	0.000	Pass
Fenpyroximate	Varies	0.000	Pass
Fenuron	Varies	0.000	Pass
Fonicamid	Varies	0.000	Pass
Flubendiamide	Varies	0.000	Pass
Fludioxonil	Varies	0.000	Pass
Flufenacet	Varies	0.000	Pass
Flufenoxuron	Varies	0.000	Pass
Fluometuron	Varies	0.000	Pass
Fluoxastrobin	Varies	0.000	Pass
Fluquinconazole	Varies	0.000	Pass
Flusilazole	Varies	0.000	Pass
Flutolanil	Varies	0.000	Pass
Flutriafol	Varies	0.000	Pass
Forchlorfenuron	Varies	0.000	Pass
Formetanate Hydrochloride	Varies	0.000	Pass
Fuberidazole	Varies	0.000	Pass
Furalaxyl	Varies	0.000	Pass
Furathiocarb	Varies	0.000	Pass
Halofenozide	Varies	0.000	Pass
Hexaconazole	Varies	0.000	Pass
Hexaflumuron	Varies	0.000	Pass
Hexythiazox	Varies	0.000	Pass

The testing for the CLP datasets, as well as the products applying for certification, are conducted at the Ellipse Analytics ISO 17025 accredited laboratory. For more information on this lab's accreditation, please [click here](#). All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

<sup>3</sup>Glyphosate Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

Hydramethylnon	Varies	0.000	Pass
Imazalil	Varies	0.000	Pass
Imidacloprid	Varies	0.000	Pass
Indoxacarb	Varies	0.000	Pass
Ipconazole	Varies	0.000	Pass
Iprovalicarb	Varies	0.000	Pass
Isoprocarb	Varies	0.000	Pass
Isoprothiolane	Varies	0.000	Pass
Isoproturon	Varies	0.000	Pass
Ivermectin_B1a	Varies	0.000	Pass
Kresoxim-methyl	Varies	0.000	Pass
Linuron	Varies	0.000	Pass
Lufenuron	Varies	0.000	Pass
Mandipropamid	Varies	0.000	Pass
Mefenacet	Varies	0.000	Pass
Mepanipyrim	Varies	0.000	Pass
Mepronil	Varies	0.000	Pass
Mesotrione	Varies	0.000	Pass
Metaflumizone	Varies	0.000	Pass
Metalaxyl	Varies	0.000	Pass
Metconazole	Varies	0.000	Pass
Methabenzthiazuron	Varies	0.000	Pass
Methamidophos	Varies	0.000	Pass
Methiocarb	Varies	0.000	Pass
Methomyl	Varies	0.000	Pass
Methoprotryne	Varies	0.000	Pass
Methoxyfenozide	Varies	0.000	Pass
Metobromuron	Varies	0.000	Pass
Metribuzin	Varies	0.000	Pass
Mevinphos	Varies	0.000	Pass
Mexacarbate	Varies	0.000	Pass
MGK-326	Varies	0.000	Pass
Monceren (Pencycuron)	Varies	0.000	Pass
Monocrotophos	Varies	0.000	Pass
Monolinuron	Varies	0.000	Pass
Moxidectin	Varies	0.000	Pass
Myclobutanil	Varies	0.000	Pass
Neburon	Varies	0.000	Pass
Nitenpyram	Varies	0.000	Pass

The testing for the CLP datasets, as well as the products applying for certification, are conducted at the Ellipse Analytics ISO 17025 accredited laboratory. For more information on this lab's accreditation, please [click here](#). All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

<sup>3</sup>Glyphosate Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

Novaluron	Varies	0.000	Pass
Nuarimol	Varies	0.000	Pass
Omethoate	Varies	0.000	Pass
Oxadixyl	Varies	0.000	Pass
Oxamyl	Varies	0.000	Pass
Oxyfluorfen	Varies	0.000	Pass
Paclobutrazol	Varies	0.000	Pass
Penconazole	Varies	0.000	Pass
Phenmedipham	Varies	0.000	Pass
Picoxystrobin	Varies	0.000	Pass
Piperonyl Butoxide	Varies	0.000	Pass
Pirimicarb	Varies	0.000	Pass
Prochloraz	Varies	0.000	Pass
Promecarb	Varies	0.000	Pass
Prometon	Varies	0.000	Pass
Prometryn	Varies	0.000	Pass
Propamocarb	Varies	0.000	Pass
Propargite	Varies	0.000	Pass
Propham	Varies	0.000	Pass
Propiconazole	Varies	0.000	Pass
Propoxur	Varies	0.000	Pass
Prothioconazole	Varies	0.000	Pass
Pymetrozine	Varies	0.000	Pass
Pyracarbolid	Varies	0.000	Pass
Pyraclostrobin	Varies	0.000	Pass
Pyridaben	Varies	0.000	Pass
Pyrimethanil	Varies	0.000	Pass
Pyriproxyfen	Varies	0.000	Pass
Quinoxyfen	Varies	0.000	Pass
Rotenone	Varies	0.000	Pass
Secbumeton	Varies	0.000	Pass
Siduron	Varies	0.000	Pass
Simetryn	Varies	0.000	Pass
Spinetoram	Varies	0.000	Pass
Spinosyn	Varies	0.000	Pass
Spirodiclofen	Varies	0.000	Pass
Spiromesifen	Varies	0.000	Pass
Spirotetramat	Varies	0.000	Pass
Spiroxamine	Varies	0.000	Pass

The testing for the CLP datasets, as well as the products applying for certification, are conducted at the Ellipse Analytics ISO 17025 accredited laboratory. For more information on this lab's accreditation, please [click here](#). All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

<sup>3</sup>Glyphosate Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

Sulfentrazone	Varies	0.000	Pass
Tebuconazole	Varies	0.000	Pass
Tebufenozide	Varies	0.000	Pass
Tebufenpyrad	Varies	0.000	Pass
Tebuthiuron	Varies	0.000	Pass
Teflubenzuron	Varies	0.000	Pass
Temephos	Varies	0.000	Pass
Terbumeton	Varies	0.000	Pass
Terbutryn	Varies	0.000	Pass
Tetraconazole	Varies	0.000	Pass
Thiabendazole	Varies	0.000	Pass
Thiacloprid	Varies	0.000	Pass
Thiamethoxam	Varies	0.000	Pass
Thidiazuron	Varies	0.000	Pass
Thiobencarb	Varies	0.000	Pass
Thiophanate-methyl	Varies	0.000	Pass
Triadimefon	Varies	0.000	Pass
Triadimenol	Varies	0.000	Pass
Trichlorfon	Varies	0.000	Pass
Tricyclazole	Varies	0.000	Pass
Trifloxystrobin	Varies	0.000	Pass
Triflumizole	Varies	0.000	Pass
Triflumuron	Varies	0.000	Pass
Triticonazole	Varies	0.000	Pass
Vamidothion	Varies	0.000	Pass
Zoxamide	Varies	0.000	Pass

The testing for the CLP datasets, as well as the products applying for certification, are conducted at the Ellipse Analytics ISO 17025 accredited laboratory. For more information on this lab's accreditation, please [click here](#). All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

<sup>3</sup>Glyphosate Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>