

Monday, April 17, 2023  
Puori  
Copenhagen, Denmark  
<https://puori.com/>

Ellipse Analytics  
7000 Broadway, Suite 307  
Denver, CO 80221  
[info@ellipseanalytics.com](mailto:info@ellipseanalytics.com)

Batch/Lot Number: N21E001

**RESULTS SUMMARY**

Analytes	Compliance
Heavy Metals	Pass
Bisphenols	Pass
Glyphosate	Pass
Label Claim Accuracy	Pass
Pesticides	Pass
Residual Solvents	Pass



**PRODUCT SUMMARY**

**Brand:** Puori

**Product Name:** M3 Magnesium Complex

**Product Description:** Puori M3 combines the most absorbable organic forms of magnesium with zinc and vitamin B6 for increased absorption and efficacy.

**Batch/Lot Number:** N21E001



Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

**ANALYTICAL RESULTS**

**Heavy Metals**

Analyte	Tolerance <sup>1</sup> (ug/serving)	Findings (ug/serving)	Compliance
Arsenic	10	0.35223999999999994	Pass
Cadmium	4.1	ND	Pass
Mercury	0.3	ND	Pass
Lead	0.5	0.06	Pass

**Bisphenols**

Analyte	Tolerance <sup>2</sup> (ug/serving)	Findings (ug/serving)	Compliance
BPA	3	ND	Pass
BPS	0.05	ND	Pass

**Glyphosate**

Analyte	Tolerance (ug/serving)	Findings (ug/serving)	Compliance
Glyphosate	1,100	Not Run	Pass

**Label Claim Accuracy**

Analyte	Claim	Findings	Compliance
Magnesium	300 mg/serving	Not Run	Pass
Zinc	8 mg/serving	Not Run	Pass
Vitamin B6	11 mg/serving	Not Run	Pass

**Pesticides**

Analyte	Tolerance <sup>4</sup>	Findings (ug/serving)	Compliance
3-Hydroxycarbofuran	Varies	ND	Pass
Abamectin	Varies	ND	Pass
Acephate	Varies	ND	Pass
Acetamiprid	Varies	ND	Pass
Aldicarb	Varies	ND	Pass
Aldicarb-sulfoxide	Varies	ND	Pass
Aldoxycarb (Aldicarb sulfone)	Varies	ND	Pass
Ametryn	Varies	ND	Pass
Aminocarb	Varies	ND	Pass
Amitraz	Varies	ND	Pass
Azoxystrobin	Varies	ND	Pass
Baycor (Bitertanol)	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Benalaxyl	Varies	ND	Pass
Bendiocarb	Varies	ND	Pass
Benzoximate	Varies	ND	Pass
Bifenazate	Varies	ND	Pass
Boscalid	Varies	ND	Pass
Bromuconazole	Varies	ND	Pass
Bupirimate	Varies	ND	Pass
Buprofezin	Varies	ND	Pass
Butafenacil	Varies	ND	Pass
Butoxycarboxim	Varies	ND	Pass
Carbaryl	Varies	ND	Pass
Carbendazim	Varies	ND	Pass
Carbetamide	Varies	ND	Pass
Carbofuran	Varies	ND	Pass
Carboxin	Varies	ND	Pass
Carfentrazone-ethyl	Varies	ND	Pass
Chlorantraniliprole	Varies	ND	Pass
Chlorfluazuron	Varies	ND	Pass
Chlorotoluron	Varies	ND	Pass
Chloroxuron	Varies	ND	Pass
Clethodim	Varies	ND	Pass
Clofentezine	Varies	ND	Pass
Clothianidin	Varies	ND	Pass
Cyazofamid	Varies	ND	Pass
Cycluron	Varies	ND	Pass
Cymoxanil	Varies	ND	Pass
Cyproconazole	Varies	ND	Pass
Cyprodinil	Varies	ND	Pass
Cyromazine	Varies	ND	Pass
Desmedipham	Varies	ND	Pass
Dicrotophos	Varies	ND	Pass
Diethofencarb	Varies	ND	Pass
Difenoconazole	Varies	ND	Pass
Diflubenzuron	Varies	ND	Pass
Dimethoate	Varies	ND	Pass
Dimethomorph	Varies	ND	Pass
Dimoxystrobin	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Diniconazole	Varies	ND	Pass
Dinotefuran	Varies	ND	Pass
Dioxacarb	Varies	ND	Pass
Diuron	Varies	ND	Pass
Doramectin	Varies	ND	Pass
Emamectin B1a	Varies	ND	Pass
Epoxiconazole	Varies	ND	Pass
Eprinomectin B1a	Varies	ND	Pass
Ethiofencarb	Varies	ND	Pass
Ethiprole	Varies	ND	Pass
Ethirimol	Varies	ND	Pass
Ethofumesate	Varies	ND	Pass
Etoxazole	Varies	ND	Pass
Famoxadone	Varies	ND	Pass
Fenamidone	Varies	ND	Pass
Fenarimol	Varies	ND	Pass
Fenazaquin	Varies	ND	Pass
Fenbuconazole	Varies	ND	Pass
Fenhexamid	Varies	ND	Pass
Fenobucarb	Varies	ND	Pass
Fenoxycarb	Varies	ND	Pass
Fenpropimorph	Varies	ND	Pass
Fenpyroximate	Varies	ND	Pass
Fenuron	Varies	ND	Pass
Fonicamid	Varies	ND	Pass
Flubendiamide	Varies	ND	Pass
Fludioxonil	Varies	ND	Pass
Flufenacet	Varies	ND	Pass
Flufenoxuron	Varies	ND	Pass
Fluometuron	Varies	ND	Pass
Fluoxastrobin	Varies	ND	Pass
Fluquinconazole	Varies	ND	Pass
Flusilazole	Varies	ND	Pass
Flutolanil	Varies	ND	Pass
Flutriafol	Varies	ND	Pass
Forchlorfenuron	Varies	ND	Pass
Formetanate Hydrochloride	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Fuberidazole	Varies	ND	Pass
Furalaxyl	Varies	ND	Pass
Furathiocarb	Varies	ND	Pass
Halofenozide	Varies	ND	Pass
Hexaconazole	Varies	ND	Pass
Hexaflumuron	Varies	ND	Pass
Hexythiazox	Varies	ND	Pass
Hydramethylnon	Varies	ND	Pass
Imazalil	Varies	ND	Pass
Imidacloprid	Varies	ND	Pass
Indoxacarb	Varies	ND	Pass
Ipconazole	Varies	ND	Pass
Iprovalicarb	Varies	ND	Pass
Isoprocarb	Varies	ND	Pass
Isoprothiolane	Varies	ND	Pass
Isoproturon	Varies	ND	Pass
Ivermectin B1a	Varies	ND	Pass
Kresoxim-methyl	Varies	ND	Pass
Linuron	Varies	ND	Pass
Lufenuron	Varies	ND	Pass
Mandipropamid	Varies	ND	Pass
Mefenacet	Varies	ND	Pass
Mepanipyrim	Varies	ND	Pass
Mepronil	Varies	ND	Pass
Mesotrione	Varies	ND	Pass
Metaflumizone	Varies	ND	Pass
Metalaxyl	Varies	ND	Pass
Metconazole	Varies	ND	Pass
Methabenzthiazuron	Varies	ND	Pass
Methamidophos	Varies	ND	Pass
Methiocarb	Varies	ND	Pass
Methomyl	Varies	ND	Pass
Methoprotryne	Varies	ND	Pass
Methoxyfenozide	Varies	ND	Pass
Metobromuron	Varies	ND	Pass
Metribuzin	Varies	ND	Pass
Mevinphos	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Mexacarbate	Varies	ND	Pass
MGK-326	Varies	ND	Pass
Monceren (Pencycuron)	Varies	ND	Pass
Monocrotophos	Varies	ND	Pass
Monolinuron	Varies	ND	Pass
Moxidectin	Varies	ND	Pass
Myclobutanil	Varies	ND	Pass
Neburon	Varies	ND	Pass
Nitenpyram	Varies	ND	Pass
Novaluron	Varies	ND	Pass
Nuarimol	Varies	ND	Pass
Omethoate	Varies	ND	Pass
Oxadixyl	Varies	ND	Pass
Oxamyl	Varies	ND	Pass
Oxyfluorfen	Varies	ND	Pass
Paclobutrazol	Varies	ND	Pass
Penconazole	Varies	ND	Pass
Phenmedipham	Varies	ND	Pass
Picoxystrobin	Varies	ND	Pass
Piperonyl butoxide	Varies	ND	Pass
Pirimicarb	Varies	ND	Pass
Prochloraz	Varies	ND	Pass
Promecarb	Varies	ND	Pass
Prometon	Varies	ND	Pass
Prometryn	Varies	ND	Pass
Propamocarb	Varies	ND	Pass
Propargite	Varies	ND	Pass
Propham	Varies	ND	Pass
Propiconazole	Varies	ND	Pass
Propoxur	Varies	ND	Pass
Prothioconazole	Varies	ND	Pass
Pymetrozine	Varies	ND	Pass
Pyracarbolid	Varies	ND	Pass
Pyraclostrobin	Varies	ND	Pass
Pyridaben	Varies	ND	Pass
Pyriproxyfen	Varies	ND	Pass
Quinoxyfen	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Rotenone	Varies	ND	Pass
Sebumeton	Varies	ND	Pass
Siduron	Varies	ND	Pass
Simetryn	Varies	ND	Pass
Spinetoram	Varies	ND	Pass
Spinosyn	Varies	ND	Pass
Spirodiclofen	Varies	ND	Pass
Spiromesifen	Varies	ND	Pass
Spirotetramat	Varies	ND	Pass
Spiroxamine	Varies	ND	Pass
Sulfentrazone	Varies	ND	Pass
Tebuconazole	Varies	ND	Pass
Tebufenozide	Varies	ND	Pass
Tebufenpyrad	Varies	ND	Pass
Tebuthiuron	Varies	ND	Pass
Teflubenzuron	Varies	ND	Pass
Temephos	Varies	ND	Pass
Terbumeton	Varies	ND	Pass
Terbutryn	Varies	ND	Pass
Tetraconazole	Varies	ND	Pass
Thiabendazole	Varies	ND	Pass
Thiacloprid	Varies	ND	Pass
Thiamethoxam	Varies	ND	Pass
Thidiazuron	Varies	ND	Pass
Thiobencarb	Varies	ND	Pass
Thiophanate-methyl	Varies	ND	Pass
Triadimefon	Varies	ND	Pass
Triadimenol	Varies	ND	Pass
Trichlorfon	Varies	ND	Pass
Tricyclazole	Varies	ND	Pass
Trifloxystrobin	Varies	ND	Pass
Triflumizole	Varies	ND	Pass
Triflumuron	Varies	ND	Pass
Triticonazole	Varies	ND	Pass
Vamidotion	Varies	ND	Pass
Zoxamide	Varies	ND	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Residual Solvents

Analyte	Tolerance (ppm) <sup>3</sup>	Findings (ug/serving)	Compliance
1,2-Dichloroethane	1	< USP 467 Limits	Pass
Acetone	5000	< USP 467 Limits	Pass
Acetonitrile	410	< USP 467 Limits	Pass
Benzene	1	< USP 467 Limits	Pass
n-Butane	5000	< USP 467 Limits	Pass
Chloroform	1	< USP 467 Limits	Pass
Ethanol	5000	< USP 467 Limits	Pass
Ethyl acetate	5000	< USP 467 Limits	Pass
Ethyl ether	5000	< USP 467 Limits	Pass
Ethylene oxide	1	< USP 467 Limits	Pass
n-Heptane	5000	< USP 467 Limits	Pass
n-Hexane	290	< USP 467 Limits	Pass
Isopropyl alcohol	5000	< USP 467 Limits	Pass
Methanol	3000	< USP 467 Limits	Pass
Methylene chloride	1	< USP 467 Limits	Pass
n-Pentane	5000	< USP 467 Limits	Pass
Propane	5000	< USP 467 Limits	Pass
Toluene	890	< USP 467 Limits	Pass
Total xylenes (ortho-, meta-, para-)	2170	< USP 467 Limits	Pass
Trichloroethylene	1	< USP 467 Limits	Pass

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>