

Wednesday, November 13, 2024  
Puori  
Copenhagen, Denmark  
<https://puori.com/>

Ellipse Analytics  
7000 Broadway, Suite 307  
Denver, CO 80221  
[info@ellipseanalytics.com](mailto:info@ellipseanalytics.com)

**Batch/Lot Number: T24C011**

**RESULTS SUMMARY**

| Analytes             | Compliance |
|----------------------|------------|
| Heavy Metals         | Pass       |
| Bisphenols           | Pass       |
| Glyphosate           | Pass       |
| Label Claim Accuracy | Pass       |
| Pesticides           | Pass       |
| Residual Solvents    | Pass       |



**PRODUCT SUMMARY**

**Brand:** Puori

**Product Name:** M3 Magnesium Complex

**Product Description:** Puori M3 combines the most absorbable organic forms of magnesium with zinc and vitamin B6 for increased absorption and efficacy.

**Batch/Lot Number:** T24C011



Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

**ANALYTICAL RESULTS**

**Heavy Metals**

| Analyte | Tolerance <sup>1</sup> (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| Arsenic | 10                                  | 0.413                 | Pass       |
| Cadmium | 4.1                                 | ND                    | Pass       |
| Mercury | 0.3                                 | ND                    | Pass       |
| Lead    | 0.5                                 | 0.197                 | Pass       |

**Bisphenols**

| Analyte | Tolerance <sup>2</sup> (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| BPA     | 3                                   | ND                    | Pass       |
| BPS     | 0.05                                | ND                    | Pass       |

**Glyphosate**

| Analyte    | Tolerance (ug/serving) | Findings (ug/serving) | Compliance |
|------------|------------------------|-----------------------|------------|
| Glyphosate | 1,100                  | ND                    | Pass       |

**Label Claim Accuracy**

| Analyte    | Claim          | Findings          | Compliance |
|------------|----------------|-------------------|------------|
| Magnesium  | 300 mg/serving | 376.20 mg/serving | Pass       |
| Zinc       | 8 mg/serving   | 23.655 mg/serving | Pass       |
| Vitamin B6 | 11 mg/serving  | 16.331 mg/serving | Pass       |

**Pesticides**

| Analyte                       | Tolerance <sup>4</sup> | Findings (ug/serving) | Compliance |
|-------------------------------|------------------------|-----------------------|------------|
| 3-Hydroxycarbofuran           | Varies                 | ND                    | Pass       |
| Abamectin                     | Varies                 | ND                    | Pass       |
| Acephate                      | Varies                 | ND                    | Pass       |
| Acetamiprid                   | Varies                 | ND                    | Pass       |
| Aldicarb                      | Varies                 | ND                    | Pass       |
| Aldicarb-sulfoxide            | Varies                 | ND                    | Pass       |
| Aldoxycarb (Aldicarb sulfone) | Varies                 | ND                    | Pass       |
| Ametryn                       | Varies                 | ND                    | Pass       |
| Aminocarb                     | Varies                 | ND                    | Pass       |
| Amitraz                       | Varies                 | ND                    | Pass       |
| Azoxystrobin                  | Varies                 | ND                    | Pass       |
| Baycor (Bitertanol)           | Varies                 | ND                    | Pass       |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                     |        |    |      |
|---------------------|--------|----|------|
| Benalaxyl           | Varies | ND | Pass |
| Bendiocarb          | Varies | ND | Pass |
| Benzoximate         | Varies | ND | Pass |
| Bifenazate          | Varies | ND | Pass |
| Boscalid            | Varies | ND | Pass |
| Bromuconazole       | Varies | ND | Pass |
| Bupirimate          | Varies | ND | Pass |
| Buprofezin          | Varies | ND | Pass |
| Butafenacil         | Varies | ND | Pass |
| Butoxycarboxim      | Varies | ND | Pass |
| Carbaryl            | Varies | ND | Pass |
| Carbendazim         | Varies | ND | Pass |
| Carbetamide         | Varies | ND | Pass |
| Carbofuran          | Varies | ND | Pass |
| Carboxin            | Varies | ND | Pass |
| Carfentrazone-ethyl | Varies | ND | Pass |
| Chlorantraniliprole | Varies | ND | Pass |
| Chlorfluazuron      | Varies | ND | Pass |
| Chlorotoluron       | Varies | ND | Pass |
| Chloroxuron         | Varies | ND | Pass |
| Clethodim           | Varies | ND | Pass |
| Clofentezine        | Varies | ND | Pass |
| Clothianidin        | Varies | ND | Pass |
| Cyazofamid          | Varies | ND | Pass |
| Cycluron            | Varies | ND | Pass |
| Cymoxanil           | Varies | ND | Pass |
| Cyproconazole       | Varies | ND | Pass |
| Cyprodinil          | Varies | ND | Pass |
| Cyromazine          | Varies | ND | Pass |
| Desmedipham         | Varies | ND | Pass |
| Diclotophos         | Varies | ND | Pass |
| Diethofencarb       | Varies | ND | Pass |
| Difenoconazole      | Varies | ND | Pass |
| Diflubenzuron       | Varies | ND | Pass |
| Dimethoate          | Varies | ND | Pass |
| Dimethomorph        | Varies | ND | Pass |
| Dimoxystrobin       | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                           |        |    |      |
|---------------------------|--------|----|------|
| Diniconazole              | Varies | ND | Pass |
| Dinotefuran               | Varies | ND | Pass |
| Dioxacarb                 | Varies | ND | Pass |
| Diuron                    | Varies | ND | Pass |
| Doramectin                | Varies | ND | Pass |
| Emamectin B1a             | Varies | ND | Pass |
| Epoxiconazole             | Varies | ND | Pass |
| Eprinomectin B1a          | Varies | ND | Pass |
| Ethiofencarb              | Varies | ND | Pass |
| Ethiprole                 | Varies | ND | Pass |
| Ethirimol                 | Varies | ND | Pass |
| Ethofumesate              | Varies | ND | Pass |
| Etoxazole                 | Varies | ND | Pass |
| Famoxadone                | Varies | ND | Pass |
| Fenamidone                | Varies | ND | Pass |
| Fenarimol                 | Varies | ND | Pass |
| Fenzaquin                 | Varies | ND | Pass |
| Fenbuconazole             | Varies | ND | Pass |
| Fenhexamid                | Varies | ND | Pass |
| Fenobucarb                | Varies | ND | Pass |
| Fenoxycarb                | Varies | ND | Pass |
| Fenpropimorph             | Varies | ND | Pass |
| Fenpyroximate             | Varies | ND | Pass |
| Fenuron                   | Varies | ND | Pass |
| Flonicamid                | Varies | ND | Pass |
| Flubendiamide             | Varies | ND | Pass |
| Fludioxonil               | Varies | ND | Pass |
| Flufenacet                | Varies | ND | Pass |
| Flufenoxuron              | Varies | ND | Pass |
| Fluometuron               | Varies | ND | Pass |
| Fluoxastrobin             | Varies | ND | Pass |
| Fluquinconazole           | Varies | ND | Pass |
| Flusilazole               | Varies | ND | Pass |
| Flutolanil                | Varies | ND | Pass |
| Flutriafol                | Varies | ND | Pass |
| Forchlorfenuron           | Varies | ND | Pass |
| Formetanate Hydrochloride | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                    |        |    |      |
|--------------------|--------|----|------|
| Fuberidazole       | Varies | ND | Pass |
| Furalaxyl          | Varies | ND | Pass |
| Furathiocarb       | Varies | ND | Pass |
| Halofenozide       | Varies | ND | Pass |
| Hexaconazole       | Varies | ND | Pass |
| Hexaflumuron       | Varies | ND | Pass |
| Hexythiazox        | Varies | ND | Pass |
| Hydramethylnon     | Varies | ND | Pass |
| Imazalil           | Varies | ND | Pass |
| Imidacloprid       | Varies | ND | Pass |
| Indoxacarb         | Varies | ND | Pass |
| Ipconazole         | Varies | ND | Pass |
| Iprovalicarb       | Varies | ND | Pass |
| Isoprocarb         | Varies | ND | Pass |
| Isoprothiolane     | Varies | ND | Pass |
| Isoproturon        | Varies | ND | Pass |
| Ivermectin B1a     | Varies | ND | Pass |
| Kresoxim-methyl    | Varies | ND | Pass |
| Linuron            | Varies | ND | Pass |
| Lufenuron          | Varies | ND | Pass |
| Mandipropamid      | Varies | ND | Pass |
| Mefenacet          | Varies | ND | Pass |
| Mepanipyrim        | Varies | ND | Pass |
| Mepronil           | Varies | ND | Pass |
| Mesotrione         | Varies | ND | Pass |
| Metaflumizone      | Varies | ND | Pass |
| Metalaxyl          | Varies | ND | Pass |
| Metconazole        | Varies | ND | Pass |
| Methabenzthiazuron | Varies | ND | Pass |
| Methamidophos      | Varies | ND | Pass |
| Methiocarb         | Varies | ND | Pass |
| Methomyl           | Varies | ND | Pass |
| Methoprotryne      | Varies | ND | Pass |
| Methoxyfenozide    | Varies | ND | Pass |
| Metobromuron       | Varies | ND | Pass |
| Metribuzin         | Varies | ND | Pass |
| Mevinphos          | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                       |        |    |      |
|-----------------------|--------|----|------|
| Mexacarbate           | Varies | ND | Pass |
| MGK-326               | Varies | ND | Pass |
| Monceren (Pencycuron) | Varies | ND | Pass |
| Monocrotophos         | Varies | ND | Pass |
| Monolinuron           | Varies | ND | Pass |
| Moxidectin            | Varies | ND | Pass |
| Myclobutanil          | Varies | ND | Pass |
| Neburon               | Varies | ND | Pass |
| Nitenpyram            | Varies | ND | Pass |
| Novaluron             | Varies | ND | Pass |
| Nuarimol              | Varies | ND | Pass |
| Omethoate             | Varies | ND | Pass |
| Oxadixyl              | Varies | ND | Pass |
| Oxamyl                | Varies | ND | Pass |
| Oxyfluorfen           | Varies | ND | Pass |
| Paclobutrazol         | Varies | ND | Pass |
| Penconazole           | Varies | ND | Pass |
| Phenmedipham          | Varies | ND | Pass |
| Picoxystrobin         | Varies | ND | Pass |
| Piperonyl butoxide    | Varies | ND | Pass |
| Pirimicarb            | Varies | ND | Pass |
| Prochloraz            | Varies | ND | Pass |
| Promecarb             | Varies | ND | Pass |
| Prometon              | Varies | ND | Pass |
| Prometryn             | Varies | ND | Pass |
| Propamocarb           | Varies | ND | Pass |
| Propargite            | Varies | ND | Pass |
| Propham               | Varies | ND | Pass |
| Propiconazole         | Varies | ND | Pass |
| Propoxur              | Varies | ND | Pass |
| Prothioconazole       | Varies | ND | Pass |
| Pymetrozine           | Varies | ND | Pass |
| Pyracarbolid          | Varies | ND | Pass |
| Pyraclostrobin        | Varies | ND | Pass |
| Pyridaben             | Varies | ND | Pass |
| Pyriproxyfen          | Varies | ND | Pass |
| Quinoxyfen            | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                    |        |    |      |
|--------------------|--------|----|------|
| Rotenone           | Varies | ND | Pass |
| Sebumeton          | Varies | ND | Pass |
| Siduron            | Varies | ND | Pass |
| Simetryn           | Varies | ND | Pass |
| Spinetoram         | Varies | ND | Pass |
| Spinosyn           | Varies | ND | Pass |
| Spirodiclofen      | Varies | ND | Pass |
| Spiromesifen       | Varies | ND | Pass |
| Spirotetramat      | Varies | ND | Pass |
| Spiroxamine        | Varies | ND | Pass |
| Sulfentrazone      | Varies | ND | Pass |
| Tebuconazole       | Varies | ND | Pass |
| Tebufenozide       | Varies | ND | Pass |
| Tebufenpyrad       | Varies | ND | Pass |
| Tebuthiuron        | Varies | ND | Pass |
| Teflubenzuron      | Varies | ND | Pass |
| Temephos           | Varies | ND | Pass |
| Terbumeton         | Varies | ND | Pass |
| Terbutryn          | Varies | ND | Pass |
| Tetraconazole      | Varies | ND | Pass |
| Thiabendazole      | Varies | ND | Pass |
| Thiacloprid        | Varies | ND | Pass |
| Thiamethoxam       | Varies | ND | Pass |
| Thidiazuron        | Varies | ND | Pass |
| Thiobencarb        | Varies | ND | Pass |
| Thiophanate-methyl | Varies | ND | Pass |
| Triadimefon        | Varies | ND | Pass |
| Triadimenol        | Varies | ND | Pass |
| Trichlorfon        | Varies | ND | Pass |
| Tricyclazole       | Varies | ND | Pass |
| Trifloxystrobin    | Varies | ND | Pass |
| Triflumizole       | Varies | ND | Pass |
| Triflumuron        | Varies | ND | Pass |
| Triticonazole      | Varies | ND | Pass |
| Vamidothion        | Varies | ND | Pass |
| Zoxamide           | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

**Residual Solvents**

| Analyte                              | Tolerance (ppm) <sup>3</sup> | Findings (ug/serving) | Compliance |
|--------------------------------------|------------------------------|-----------------------|------------|
| 1,2-Dichloroethane                   | 1                            | ND                    | Pass       |
| Acetone                              | 5000                         | ND                    | Pass       |
| Acetonitrile                         | 410                          | ND                    | Pass       |
| Benzene                              | 1                            | ND                    | Pass       |
| n-Butane                             | 5000                         | ND                    | Pass       |
| Chloroform                           | 1                            | ND                    | Pass       |
| Ethanol                              | 5000                         | ND                    | Pass       |
| Ethyl acetate                        | 5000                         | ND                    | Pass       |
| Ethyl ether                          | 5000                         | ND                    | Pass       |
| Ethylene oxide                       | 1                            | ND                    | Pass       |
| n-Heptane                            | 5000                         | ND                    | Pass       |
| n-Hexane                             | 290                          | ND                    | Pass       |
| Isopropyl alcohol                    | 5000                         | ND                    | Pass       |
| Methanol                             | 3000                         | ND                    | Pass       |
| Methylene chloride                   | 1                            | ND                    | Pass       |
| n-Pentane                            | 5000                         | ND                    | Pass       |
| Propane                              | 5000                         | ND                    | Pass       |
| Toluene                              | 890                          | ND                    | Pass       |
| Total xylenes (ortho-, meta-, para-) | 2170                         | ND                    | Pass       |
| Trichloroethylene                    | 1                            | ND                    | Pass       |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>