

Monday, December 16, 2024
Puori
Copenhagen, Denmark
<https://puori.com/>

Ellipse Analytics
7000 Broadway, Suite 307
Denver, CO 80221
info@ellipseanalytics.com

Batch/Lot Number: X02

RESULTS SUMMARY

| Analytes | Compliance |
|----------------------|------------|
| Heavy Metals | Pass |
| Bisphenols | Pass |
| Glyphosate | Pass |
| Label Claim Accuracy | Pass |
| Pesticides | Pass |
| Residual Solvents | Pass |



PRODUCT SUMMARY

Brand: Puori

Product Name: M3 Magnesium Complex

Product Description: Puori M3 combines the most absorbable organic forms of magnesium with zinc and vitamin B6 for increased absorption and efficacy.

Batch/Lot Number: X02



Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

ANALYTICAL RESULTS

Heavy Metals

| Analyte | Tolerance ¹ (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| Arsenic | 10 | ND | Pass |
| Cadmium | 4.1 | ND | Pass |
| Mercury | 0.3 | ND | Pass |
| Lead | 0.5 | 0.048 | Pass |

Bisphenols

| Analyte | Tolerance ² (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| BPA | 3 | ND | Pass |
| BPS | 0.05 | ND | Pass |

Glyphosate

| Analyte | Tolerance (ug/serving) | Findings (ug/serving) | Compliance |
|------------|------------------------|-----------------------|------------|
| Glyphosate | 1,100 | ND | Pass |

Label Claim Accuracy

| Analyte | Claim | Findings | Compliance |
|------------|----------------|-------------------|------------|
| Magnesium | 225 mg/serving | 225.00 mg/serving | Pass |
| Zinc | 8 mg/serving | 9.000 mg/serving | Pass |
| Vitamin B6 | 8 mg/serving | 6.973 mg/serving | Pass |

Pesticides

| Analyte | Tolerance ⁴ | Findings (ug/serving) | Compliance |
|-------------------------------|------------------------|-----------------------|------------|
| 3-Hydroxycarbofuran | Varies | ND | Pass |
| Abamectin | Varies | ND | Pass |
| Acephate | Varies | ND | Pass |
| Acetamiprid | Varies | ND | Pass |
| Aldicarb | Varies | ND | Pass |
| Aldicarb-sulfoxide | Varies | ND | Pass |
| Aldoxycarb (Aldicarb sulfone) | Varies | ND | Pass |
| Ametryn | Varies | ND | Pass |
| Aminocarb | Varies | ND | Pass |
| Amitraz | Varies | ND | Pass |
| Azoxystrobin | Varies | ND | Pass |
| Baycor (Bitertanol) | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|---------------------|--------|----|------|
| Benalaxyl | Varies | ND | Pass |
| Bendiocarb | Varies | ND | Pass |
| Benzoximate | Varies | ND | Pass |
| Bifenazate | Varies | ND | Pass |
| Boscalid | Varies | ND | Pass |
| Bromuconazole | Varies | ND | Pass |
| Bupirimate | Varies | ND | Pass |
| Buprofezin | Varies | ND | Pass |
| Butafenacil | Varies | ND | Pass |
| Butoxycarboxim | Varies | ND | Pass |
| Carbaryl | Varies | ND | Pass |
| Carbendazim | Varies | ND | Pass |
| Carbetamide | Varies | ND | Pass |
| Carbofuran | Varies | ND | Pass |
| Carboxin | Varies | ND | Pass |
| Carfentrazone-ethyl | Varies | ND | Pass |
| Chlorantraniliprole | Varies | ND | Pass |
| Chlorfluazuron | Varies | ND | Pass |
| Chlorotoluron | Varies | ND | Pass |
| Chloroxuron | Varies | ND | Pass |
| Clethodim | Varies | ND | Pass |
| Clofentezine | Varies | ND | Pass |
| Clothianidin | Varies | ND | Pass |
| Cyazofamid | Varies | ND | Pass |
| Cycluron | Varies | ND | Pass |
| Cymoxanil | Varies | ND | Pass |
| Cyproconazole | Varies | ND | Pass |
| Cyprodinil | Varies | ND | Pass |
| Cyromazine | Varies | ND | Pass |
| Desmedipham | Varies | ND | Pass |
| Diclotophos | Varies | ND | Pass |
| Diethofencarb | Varies | ND | Pass |
| Difenoconazole | Varies | ND | Pass |
| Diflubenzuron | Varies | ND | Pass |
| Dimethoate | Varies | ND | Pass |
| Dimethomorph | Varies | ND | Pass |
| Dimoxystrobin | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|---------------------------|--------|----|------|
| Diniconazole | Varies | ND | Pass |
| Dinotefuran | Varies | ND | Pass |
| Dioxacarb | Varies | ND | Pass |
| Diuron | Varies | ND | Pass |
| Doramectin | Varies | ND | Pass |
| Emamectin B1a | Varies | ND | Pass |
| Epoxiconazole | Varies | ND | Pass |
| Eprinomectin B1a | Varies | ND | Pass |
| Ethiofencarb | Varies | ND | Pass |
| Ethiprole | Varies | ND | Pass |
| Ethirimol | Varies | ND | Pass |
| Ethofumesate | Varies | ND | Pass |
| Etoxazole | Varies | ND | Pass |
| Famoxadone | Varies | ND | Pass |
| Fenamidone | Varies | ND | Pass |
| Fenarimol | Varies | ND | Pass |
| Fenzaquin | Varies | ND | Pass |
| Fenbuconazole | Varies | ND | Pass |
| Fenhexamid | Varies | ND | Pass |
| Fenobucarb | Varies | ND | Pass |
| Fenoxycarb | Varies | ND | Pass |
| Fenpropimorph | Varies | ND | Pass |
| Fenpyroximate | Varies | ND | Pass |
| Fenuron | Varies | ND | Pass |
| Flonicamid | Varies | ND | Pass |
| Flubendiamide | Varies | ND | Pass |
| Fludioxonil | Varies | ND | Pass |
| Flufenacet | Varies | ND | Pass |
| Flufenoxuron | Varies | ND | Pass |
| Fluometuron | Varies | ND | Pass |
| Fluoxastrobin | Varies | ND | Pass |
| Fluquinconazole | Varies | ND | Pass |
| Flusilazole | Varies | ND | Pass |
| Flutolanil | Varies | ND | Pass |
| Flutriafol | Varies | ND | Pass |
| Forchlorfenuron | Varies | ND | Pass |
| Formetanate Hydrochloride | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|--------------------|--------|----|------|
| Fuberidazole | Varies | ND | Pass |
| Furalaxyl | Varies | ND | Pass |
| Furathiocarb | Varies | ND | Pass |
| Halofenozide | Varies | ND | Pass |
| Hexaconazole | Varies | ND | Pass |
| Hexaflumuron | Varies | ND | Pass |
| Hexythiazox | Varies | ND | Pass |
| Hydramethylnon | Varies | ND | Pass |
| Imazalil | Varies | ND | Pass |
| Imidacloprid | Varies | ND | Pass |
| Indoxacarb | Varies | ND | Pass |
| Ipconazole | Varies | ND | Pass |
| Iprovalicarb | Varies | ND | Pass |
| Isoprocarb | Varies | ND | Pass |
| Isoprothiolane | Varies | ND | Pass |
| Isoproturon | Varies | ND | Pass |
| Ivermectin B1a | Varies | ND | Pass |
| Kresoxim-methyl | Varies | ND | Pass |
| Linuron | Varies | ND | Pass |
| Lufenuron | Varies | ND | Pass |
| Mandipropamid | Varies | ND | Pass |
| Mefenacet | Varies | ND | Pass |
| Mepanipyrim | Varies | ND | Pass |
| Mepronil | Varies | ND | Pass |
| Mesotrione | Varies | ND | Pass |
| Metaflumizone | Varies | ND | Pass |
| Metalaxyl | Varies | ND | Pass |
| Metconazole | Varies | ND | Pass |
| Methabenzthiazuron | Varies | ND | Pass |
| Methamidophos | Varies | ND | Pass |
| Methiocarb | Varies | ND | Pass |
| Methomyl | Varies | ND | Pass |
| Methoprotryne | Varies | ND | Pass |
| Methoxyfenozide | Varies | ND | Pass |
| Metobromuron | Varies | ND | Pass |
| Metribuzin | Varies | ND | Pass |
| Mevinphos | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|-----------------------|--------|----|------|
| Mexacarbate | Varies | ND | Pass |
| MGK-326 | Varies | ND | Pass |
| Monceren (Pencycuron) | Varies | ND | Pass |
| Monocrotophos | Varies | ND | Pass |
| Monolinuron | Varies | ND | Pass |
| Moxidectin | Varies | ND | Pass |
| Myclobutanil | Varies | ND | Pass |
| Neburon | Varies | ND | Pass |
| Nitenpyram | Varies | ND | Pass |
| Novaluron | Varies | ND | Pass |
| Nuarimol | Varies | ND | Pass |
| Omethoate | Varies | ND | Pass |
| Oxadixyl | Varies | ND | Pass |
| Oxamyl | Varies | ND | Pass |
| Oxyfluorfen | Varies | ND | Pass |
| Paclobutrazol | Varies | ND | Pass |
| Penconazole | Varies | ND | Pass |
| Phenmedipham | Varies | ND | Pass |
| Picoxystrobin | Varies | ND | Pass |
| Piperonyl butoxide | Varies | ND | Pass |
| Pirimicarb | Varies | ND | Pass |
| Prochloraz | Varies | ND | Pass |
| Promecarb | Varies | ND | Pass |
| Prometon | Varies | ND | Pass |
| Prometryn | Varies | ND | Pass |
| Propamocarb | Varies | ND | Pass |
| Propargite | Varies | ND | Pass |
| Propham | Varies | ND | Pass |
| Propiconazole | Varies | ND | Pass |
| Propoxur | Varies | ND | Pass |
| Prothioconazole | Varies | ND | Pass |
| Pymetrozine | Varies | ND | Pass |
| Pyracarbolid | Varies | ND | Pass |
| Pyraclostrobin | Varies | ND | Pass |
| Pyridaben | Varies | ND | Pass |
| Pyriproxyfen | Varies | ND | Pass |
| Quinoxyfen | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

| | | | |
|--------------------|--------|----|------|
| Rotenone | Varies | ND | Pass |
| Sebumeton | Varies | ND | Pass |
| Siduron | Varies | ND | Pass |
| Simetryn | Varies | ND | Pass |
| Spinetoram | Varies | ND | Pass |
| Spinosyn | Varies | ND | Pass |
| Spirodiclofen | Varies | ND | Pass |
| Spiromesifen | Varies | ND | Pass |
| Spirotetramat | Varies | ND | Pass |
| Spiroxamine | Varies | ND | Pass |
| Sulfentrazone | Varies | ND | Pass |
| Tebuconazole | Varies | ND | Pass |
| Tebufenozide | Varies | ND | Pass |
| Tebufenpyrad | Varies | ND | Pass |
| Tebuthiuron | Varies | ND | Pass |
| Teflubenzuron | Varies | ND | Pass |
| Temephos | Varies | ND | Pass |
| Terbumeton | Varies | ND | Pass |
| Terbutryn | Varies | ND | Pass |
| Tetraconazole | Varies | ND | Pass |
| Thiabendazole | Varies | ND | Pass |
| Thiacloprid | Varies | ND | Pass |
| Thiamethoxam | Varies | ND | Pass |
| Thidiazuron | Varies | ND | Pass |
| Thiobencarb | Varies | ND | Pass |
| Thiophanate-methyl | Varies | ND | Pass |
| Triadimefon | Varies | ND | Pass |
| Triadimenol | Varies | ND | Pass |
| Trichlorfon | Varies | ND | Pass |
| Tricyclazole | Varies | ND | Pass |
| Trifloxystrobin | Varies | ND | Pass |
| Triflumizole | Varies | ND | Pass |
| Triflumuron | Varies | ND | Pass |
| Triticonazole | Varies | ND | Pass |
| Vamidothion | Varies | ND | Pass |
| Zoxamide | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

Residual Solvents

| Analyte | Tolerance (ppm) ³ | Findings (ug/serving) | Compliance |
|--------------------------------------|------------------------------|-----------------------|------------|
| 1,2-Dichloroethane | 1 | ND | Pass |
| Acetone | 5000 | ND | Pass |
| Acetonitrile | 410 | ND | Pass |
| Benzene | 1 | ND | Pass |
| n-Butane | 5000 | ND | Pass |
| Chloroform | 1 | ND | Pass |
| Ethanol | 5000 | ND | Pass |
| Ethyl acetate | 5000 | ND | Pass |
| Ethyl ether | 5000 | ND | Pass |
| Ethylene oxide | 1 | ND | Pass |
| n-Heptane | 5000 | ND | Pass |
| n-Hexane | 290 | ND | Pass |
| Isopropyl alcohol | 5000 | ND | Pass |
| Methanol | 3000 | ND | Pass |
| Methylene chloride | 1 | ND | Pass |
| n-Pentane | 5000 | ND | Pass |
| Propane | 5000 | ND | Pass |
| Toluene | 890 | ND | Pass |
| Total xylenes (ortho-, meta-, para-) | 2170 | ND | Pass |
| Trichloroethylene | 1 | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

²Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

³Residual Solvents Tolerance: https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf

⁴Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>