

CERTIFICATE OF ANALYSIS Clean Label Project Transparency Project

Thursday, October 24, 2024 Puori Copenhagen, Denmark https://puori.com/ Ellipse Analytics 7000 Broadway, Suite 307 Denver, CO 80221 info@ellipseanalytics.com

Batch/Lot Number: PO115450

PRODUCT SUMMARY

| Analytes | Compliance |
|----------------------|------------|
| Heavy Metals | Pass |
| Bisphenols | Pass |
| Glyphosate | Pass |
| Label Claim Accuracy | Pass |
| Pesticides | Pass |
| Residual Solvents | Pass |





RESULTS SUMMARY

Brand: Puori

Product Name: PB Plant Protein Booster

Product Description: Puori PB is an organic plant-based protein powder exclusively made from peas, with added calcium from sea algae.

Batch/Lot Number: PO115450



Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u> ²Bisphenols Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u> ³Residual Solvents Tolerance: <u>https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf</u> ⁴Pesticides Tolerance: <u>https://www.foodchainid.com/regulatory-limits/</u>



CERTIFICATE OF ANALYSIS

Clean Label Project Transparency Project

ANALYTICAL RESULTS

Heavy Metals

| Analyte | Tolerance ¹ (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| Arsenic | 10 | 0.22 | Pass |
| Cadmium | 4.1 | 0.93 | Pass |
| Mercury | 0.3 | ND | Pass |
| Lead | 0.5 | 0.44 | Pass |

| Bisphenols | | | |
|------------|-------------------------------------|-----------------------|------------|
| Analyte | Tolerance ² (ug/serving) | Findings (ug/serving) | Compliance |
| BPA | 3 | ND | Pass |
| BPS | 0.05 | ND | Pass |

| Glyphosate | | | |
|------------|------------------------|-----------------------|------------|
| Analyte | Tolerance (ug/serving) | Findings (ug/serving) | Compliance |
| Glyphosate | 1,100 | ND | Pass |

| Label Claim Accuracy | | | |
|----------------------|---------------|----------|------------|
| Analyte | Claim | Findings | Compliance |
| Protein | 9.7 g/serving | 9.72 | Pass |

| Pesticides | | | |
|-------------------------------|-------------------------------|-----------------------|------------|
| Analyte | Tolerance ⁴ | Findings (ug/serving) | Compliance |
| 3-Hydroxycarbofuran | Varies | ND | Pass |
| Abamectin | Varies | ND | Pass |
| Acephate | Varies | ND | Pass |
| Acetamiprid | Varies | ND | Pass |
| Aldicarb | Varies | ND | Pass |
| Aldicarb-sulfoxide | Varies | ND | Pass |
| Aldoxycarb (Aldicarb sulfone) | Varies | ND | Pass |
| Ametryn | Varies | ND | Pass |
| Aminocarb | Varies | ND | Pass |
| Amitraz | Varies | ND | Pass |
| Azoxystrobin | Varies | ND | Pass |
| Baycor (Bitertanol) | Varies | ND | Pass |
| Benalaxyl | Varies | ND | Pass |
| Bendiocarb | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

²Bisphenols Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

CERTIFICATE OF ANALYSIS

Clean Label Project Transparency Project

| | | | jeet mansparency moject |
|---------------------|--------|----|-------------------------|
| Benzoximate | Varies | ND | Pass |
| Bifenazate | Varies | ND | Pass |
| Boscalid | Varies | ND | Pass |
| Bromuconazole | Varies | ND | Pass |
| Bupirimate | Varies | ND | Pass |
| Buprofezin | Varies | ND | Pass |
| Butafenacil | Varies | ND | Pass |
| Butoxycarboxim | Varies | ND | Pass |
| Carbaryl | Varies | ND | Pass |
| Carbendazim | Varies | ND | Pass |
| Carbetamide | Varies | ND | Pass |
| Carbofuran | Varies | ND | Pass |
| Carboxin | Varies | ND | Pass |
| Carfentrazone-ethyl | Varies | ND | Pass |
| Chlorantraniliprole | Varies | ND | Pass |
| Chlorfluazuron | Varies | ND | Pass |
| Chlorotoluron | Varies | ND | Pass |
| Chloroxuron | Varies | ND | Pass |
| Clethodim | Varies | ND | Pass |
| Clofentezine | Varies | ND | Pass |
| Clothianidin | Varies | ND | Pass |
| Cyazofamid | Varies | ND | Pass |
| Cycluron | Varies | ND | Pass |
| Cymoxanil | Varies | ND | Pass |
| Cyproconazole | Varies | ND | Pass |
| Cyprodinil | Varies | ND | Pass |
| Cyromazine | Varies | ND | Pass |
| Desmedipham | Varies | ND | Pass |
| Dicrotophos | Varies | ND | Pass |
| Diethofencarb | Varies | ND | Pass |
| Difenoconazole | Varies | ND | Pass |
| Diflubenzuron | Varies | ND | Pass |
| Dimethoate | Varies | ND | Pass |
| Dimethomorph | Varies | ND | Pass |
| Dimoxystrobin | Varies | ND | Pass |
| Diniconazole | Varies | ND | Pass |
| Dinotefuran | Varies | ND | Pass |
| | | | |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

²Bisphenols Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

CERTIFICATE OF ANALYSIS

Clean Label Project Transparency Project

| | | | jeet mansparency moject |
|---------------------------|--------|----|-------------------------|
| Dioxacarb | Varies | ND | Pass |
| Diuron | Varies | ND | Pass |
| Doramectin | Varies | ND | Pass |
| Emamectin B1a | Varies | ND | Pass |
| Epoxiconazole | Varies | ND | Pass |
| Eprinomectin B1a | Varies | ND | Pass |
| Ethiofencarb | Varies | ND | Pass |
| Ethiprole | Varies | ND | Pass |
| Ethirimol | Varies | ND | Pass |
| Ethofumesate | Varies | ND | Pass |
| Etoxazole | Varies | ND | Pass |
| Famoxadone | Varies | ND | Pass |
| Fenamidone | Varies | ND | Pass |
| Fenarimol | Varies | ND | Pass |
| Fenazaquin | Varies | ND | Pass |
| Fenbuconazole | Varies | ND | Pass |
| Fenhexamid | Varies | ND | Pass |
| Fenobucarb | Varies | ND | Pass |
| Fenoxycarb | Varies | ND | Pass |
| Fenpropimorph | Varies | ND | Pass |
| Fenpyroximate | Varies | ND | Pass |
| Fenuron | Varies | ND | Pass |
| Flonicamid | Varies | ND | Pass |
| Flubendiamide | Varies | ND | Pass |
| Fludioxonil | Varies | ND | Pass |
| Flufenacet | Varies | ND | Pass |
| Flufenoxuron | Varies | ND | Pass |
| Fluometuron | Varies | ND | Pass |
| Fluoxastrobin | Varies | ND | Pass |
| Fluquinconazole | Varies | ND | Pass |
| Flusilazole | Varies | ND | Pass |
| Flutolanil | Varies | ND | Pass |
| Flutriafol | Varies | ND | Pass |
| Forchlorfenuron | Varies | ND | Pass |
| Formetanate Hydrochloride | Varies | ND | Pass |
| Fuberidazole | Varies | ND | Pass |
| Furalaxyl | Varies | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

²Bisphenols Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

CERTIFICATE OF ANALYSIS

Clean Label Project Transparency Project

| | | | jeet mansparency moject |
|--------------------|--------|----|-------------------------|
| Furathiocarb | Varies | ND | Pass |
| Halofenozide | Varies | ND | Pass |
| Hexaconazole | Varies | ND | Pass |
| Hexaflumuron | Varies | ND | Pass |
| Hexythiazox | Varies | ND | Pass |
| Hydramethylnon | Varies | ND | Pass |
| Imazalil | Varies | ND | Pass |
| Imidacloprid | Varies | ND | Pass |
| Indoxacarb | Varies | ND | Pass |
| Ipconazole | Varies | ND | Pass |
| Iprovalicarb | Varies | ND | Pass |
| Isoprocarb | Varies | ND | Pass |
| Isoprothiolane | Varies | ND | Pass |
| Isoproturon | Varies | ND | Pass |
| Ivermectin B1a | Varies | ND | Pass |
| Kresoxim-methyl | Varies | ND | Pass |
| Linuron | Varies | ND | Pass |
| Lufenuron | Varies | ND | Pass |
| Mandipropamid | Varies | ND | Pass |
| Mefenacet | Varies | ND | Pass |
| Mepanipyrim | Varies | ND | Pass |
| Mepronil | Varies | ND | Pass |
| Mesotrione | Varies | ND | Pass |
| Metaflumizone | Varies | ND | Pass |
| Metalaxyl | Varies | ND | Pass |
| Metconazole | Varies | ND | Pass |
| Methabenzthiazuron | Varies | ND | Pass |
| Methamidophos | Varies | ND | Pass |
| Methiocarb | Varies | ND | Pass |
| Methomyl | Varies | ND | Pass |
| Methoprotryne | Varies | ND | Pass |
| Methoxyfenozide | Varies | ND | Pass |
| Metobromuron | Varies | ND | Pass |
| Metribuzin | Varies | ND | Pass |
| Mevinphos | Varies | ND | Pass |
| Mexacarbate | Varies | ND | Pass |
| | | | |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

²Bisphenols Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

CERTIFICATE OF ANALYSIS

Clean Label Project Transparency Project

| | | | jeet mansparency moject |
|-----------------------|--------|----|-------------------------|
| Monceren (Pencycuron) | Varies | ND | Pass |
| Monocrotophos | Varies | ND | Pass |
| Monolinuron | Varies | ND | Pass |
| Moxidectin | Varies | ND | Pass |
| Myclobutanil | Varies | ND | Pass |
| Neburon | Varies | ND | Pass |
| Nitenpyram | Varies | ND | Pass |
| Novaluron | Varies | ND | Pass |
| Nuarimol | Varies | ND | Pass |
| Omethoate | Varies | ND | Pass |
| Oxadixyl | Varies | ND | Pass |
| Oxamyl | Varies | ND | Pass |
| Oxyfluorfen | Varies | ND | Pass |
| Paclobutrazol | Varies | ND | Pass |
| Penconazole | Varies | ND | Pass |
| Phenmedipham | Varies | ND | Pass |
| Picoxystrobin | Varies | ND | Pass |
| Piperonyl butoxide | Varies | ND | Pass |
| Pirimicarb | Varies | ND | Pass |
| Prochloraz | Varies | ND | Pass |
| Promecarb | Varies | ND | Pass |
| Prometon | Varies | ND | Pass |
| Prometryn | Varies | ND | Pass |
| Propamocarb | Varies | ND | Pass |
| Propargite | Varies | ND | Pass |
| Propham | Varies | ND | Pass |
| Propiconazole | Varies | ND | Pass |
| Propoxur | Varies | ND | Pass |
| Prothioconazole | Varies | ND | Pass |
| Pymetrozine | Varies | ND | Pass |
| Pyracarbolid | Varies | ND | Pass |
| Pyraclostrobin | Varies | ND | Pass |
| Pyridaben | Varies | ND | Pass |
| Pyriproxyfen | Varies | ND | Pass |
| Quinoxyfen | Varies | ND | Pass |
| Rotenone | Varies | ND | Pass |
| Secbumeton | Varies | ND | Pass |
| | | | |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

²Bisphenols Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

CERTIFICATE OF ANALYSIS

Clean Label Project Transparency Project

| | | | jeet mansparency moject |
|--------------------|--------|----|-------------------------|
| Siduron | Varies | ND | Pass |
| Simetryn | Varies | ND | Pass |
| Spinetoram | Varies | ND | Pass |
| Spinosyn | Varies | ND | Pass |
| Spirodiclofen | Varies | ND | Pass |
| Spiromesifen | Varies | ND | Pass |
| Spirotetramat | Varies | ND | Pass |
| Spiroxamine | Varies | ND | Pass |
| Sulfentrazone | Varies | ND | Pass |
| Tebuconazole | Varies | ND | Pass |
| Tebufenozide | Varies | ND | Pass |
| Tebufenpyrad | Varies | ND | Pass |
| Tebuthiuron | Varies | ND | Pass |
| Teflubenzuron | Varies | ND | Pass |
| Temephos | Varies | ND | Pass |
| Terbumeton | Varies | ND | Pass |
| Terbutryn | Varies | ND | Pass |
| Tetraconazole | Varies | ND | Pass |
| Thiabendazole | Varies | ND | Pass |
| Thiacloprid | Varies | ND | Pass |
| Thiamethoxam | Varies | ND | Pass |
| Thidiazuron | Varies | ND | Pass |
| Thiobencarb | Varies | ND | Pass |
| Thiophanate-methyl | Varies | ND | Pass |
| Triadimefon | Varies | ND | Pass |
| Triadimenol | Varies | ND | Pass |
| Trichlorfon | Varies | ND | Pass |
| Tricyclazole | Varies | ND | Pass |
| Trifloxystrobin | Varies | ND | Pass |
| Triflumizole | Varies | ND | Pass |
| Triflumuron | Varies | ND | Pass |
| Triticonazole | Varies | ND | Pass |
| Vamidothion | Varies | ND | Pass |
| Zoxamide | Varies | ND | Pass |
| | | | |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

²Bisphenols Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u>

CERTIFICATE OF ANALYSIS

Clean Label Project Transparency Project

Residual Solvents

| Analyte | Tolerance (ppm) ³ | Findings (ug/serving) | Compliance |
|--------------------------------------|------------------------------|-----------------------|------------|
| 1,2-Dichloroethane | 1 | ND | Pass |
| Acetone | 5000 | ND | Pass |
| Acetonitrile | 410 | ND | Pass |
| Benzene | 1 | ND | Pass |
| n-Butane | 5000 | ND | Pass |
| Chloroform | 1 | ND | Pass |
| Ethanol | 5000 | ND | Pass |
| Ethyl acetate | 5000 | ND | Pass |
| Ethyl ether | 5000 | ND | Pass |
| Ethylene oxide | 1 | ND | Pass |
| n-Heptane | 5000 | ND | Pass |
| n-Hexane | 290 | ND | Pass |
| Isopropyl alcohol | 5000 | ND | Pass |
| Methanol | 3000 | ND | Pass |
| Methylene chloride | 1 | ND | Pass |
| n-Pentane | 5000 | ND | Pass |
| Propane | 5000 | ND | Pass |
| Toluene | 890 | ND | Pass |
| Total xylenes (ortho-, meta-, para-) | 2170 | ND | Pass |
| Trichloroethylene | 1 | ND | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

¹Heavy Metals Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u> ²Bisphenols Tolerance: <u>https://oehha.ca.gov/proposition-65/proposition-65-list</u> ³Residual Solvents Tolerance: <u>https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf</u> ⁴Pesticides Tolerance: <u>https://www.foodchainid.com/regulatory-limits/</u>