

Tuesday, April 4, 2023  
Puori  
Copenhagen, Denmark  
<https://puori.com/>

Ellipse Analytics  
7000 Broadway, Suite 307  
Denver, CO 80221  
[info@ellipseanalytics.com](mailto:info@ellipseanalytics.com)

**Batch/Lot Number:** BO103548

## PRODUCT SUMMARY

| Analytes             | Compliance |
|----------------------|------------|
| Heavy Metals         | Pass       |
| Bisphenols           | Pass       |
| Glyphosate           | Pass       |
| Label Claim Accuracy | Pass       |
| Pesticides           | Pass       |
| Residual Solvents    | Pass       |
| Antibiotics          | Pass       |



## RESULTS SUMMARY

**Brand:** Puori

**Product Name:** PW1 Whey Protein

**Product Description:** Puori PW1 is a minimally processed, clean whey protein powder with natural Bourbon Vanilla flavor or dark chocolate.

**Batch/Lot Number:** BO103548



Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

## ANALYTICAL RESULTS

### Heavy Metals

| Analyte | Tolerance <sup>1</sup> (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| Arsenic | 10                                  | ND                    | Pass       |
| Cadmium | 4.1                                 | ND                    | Pass       |
| Mercury | 0.3                                 | ND                    | Pass       |
| Lead    | 0.5                                 | ND                    | Pass       |

### Bisphenols

| Analyte | Tolerance <sup>2</sup> (ug/serving) | Findings (ug/serving) | Compliance |
|---------|-------------------------------------|-----------------------|------------|
| BPA     | 3                                   | ND                    | Pass       |
| BPS     | 0.05                                | ND                    | Pass       |

### Glyphosate

| Analyte    | Tolerance (ug/serving) | Findings (ug/serving) | Compliance |
|------------|------------------------|-----------------------|------------|
| Glyphosate | 1,100                  | Not Run               | Pass       |

### Label Claim Accuracy

| Analyte | Claim        | Findings | Compliance |
|---------|--------------|----------|------------|
| Protein | 21 g/serving | Not Run  | Pass       |

### Pesticides

| Analyte             | Tolerance <sup>4</sup> | Findings (ug/serving) | Compliance |
|---------------------|------------------------|-----------------------|------------|
| 3_hydroxycarbofuran | Varies                 | ND                    | Pass       |
| acephate            | Varies                 | ND                    | Pass       |
| acetamiprid         | Varies                 | ND                    | Pass       |
| aldicarb            | Varies                 | ND                    | Pass       |
| aldicarb_sulfone    | Varies                 | Not Run               | Pass       |
| aldicarb_sulfoxide  | Varies                 | ND                    | Pass       |
| ametryn             | Varies                 | ND                    | Pass       |
| atrazine            | Varies                 | ND                    | Pass       |
| avermectin_b1a      | Varies                 | ND                    | Pass       |
| azaconazole         | Varies                 | ND                    | Pass       |
| azinphos_ethyl      | Varies                 | ND                    | Pass       |
| azoxystrobin        | Varies                 | ND                    | Pass       |
| benalaxyl           | Varies                 | ND                    | Pass       |
| bendiocarb          | Varies                 | Not Run               | Pass       |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                                  |        |         |      |
|----------------------------------|--------|---------|------|
| benthiavalicarb_isopropyl        | Varies | ND      | Pass |
| bioresmethrin                    | Varies | ND      | Pass |
| bitertanol                       | Varies | ND      | Pass |
| boscalid                         | Varies | ND      | Pass |
| bromacil                         | Varies | ND      | Pass |
| bromoxynil                       | Varies | CND     | Pass |
| bupirimate                       | Varies | ND      | Pass |
| buprofezin                       | Varies | ND      | Pass |
| butralin                         | Varies | ND      | Pass |
| cadusafos                        | Varies | ND      | Pass |
| carbaryl                         | Varies | ND      | Pass |
| carbendazim                      | Varies | ND      | Pass |
| carbetamide                      | Varies | ND      | Pass |
| carbofuran                       | Varies | ND      | Pass |
| carboxin                         | Varies | ND      | Pass |
| chlorantraniliprole              | Varies | ND      | Pass |
| chlorfenvinphos                  | Varies | ND      | Pass |
| chlorotoluron                    | Varies | ND      | Pass |
| chloroxuron                      | Varies | ND      | Pass |
| chlorpyrifos_lc                  | Varies | Not Run | Pass |
| clodinafop_propargyl_ester       | Varies | ND      | Pass |
| clofentezine                     | Varies | ND      | Pass |
| clopyralid                       | Varies | CND     | Pass |
| cloquintocet_1_methylhexyl_ester | Varies | ND      | Pass |
| clothianidin                     | Varies | ND      | Pass |
| crimidine                        | Varies | ND      | Pass |
| cyanazine                        | Varies | ND      | Pass |
| cyazofamid                       | Varies | Not Run | Pass |
| cycloate                         | Varies | ND      | Pass |
| cycloxydim                       | Varies | ND      | Pass |
| cyprodinil                       | Varies | ND      | Pass |
| cyromazine                       | Varies | Not Run | Pass |
| daminozide                       | Varies | ND      | Pass |
| deet                             | Varies | ND      | Pass |
| deltamethin                      | Varies | Not Run | Pass |
| demeton_s_methyl                 | Varies | ND      | Pass |
| demeton_s_methyl_sulfone         | Varies | ND      | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                        |        |         |      |
|------------------------|--------|---------|------|
| desmetryne             | Varies | ND      | Pass |
| diafenthiuron          | Varies | ND      | Pass |
| diallate_(total)       | Varies | ND      | Pass |
| diazinon_lc            | Varies | Not Run | Pass |
| dichlorvos             | Varies | ND      | Pass |
| diethofencarb          | Varies | ND      | Pass |
| difenoconazole         | Varies | ND      | Pass |
| diflubenzuron          | Varies | ND      | Pass |
| dimethoate             | Varies | ND      | Pass |
| dimethomorph           | Varies | Not Run | Pass |
| diniconazole           | Varies | ND      | Pass |
| dinoseb                | Varies | ND      | Pass |
| dinotefuran            | Varies | ND      | Pass |
| diphenamid             | Varies | ND      | Pass |
| diphenylamine          | Varies | ND      | Pass |
| disulfoton             | Varies | ND      | Pass |
| disulfoton_sulfone     | Varies | ND      | Pass |
| disulfoton_sulfoxide   | Varies | ND      | Pass |
| diuron                 | Varies | ND      | Pass |
| dyrene                 | Varies | CND     | Pass |
| ememectin_b1a          | Varies | ND      | Pass |
| epoxiconazole          | Varies | ND      | Pass |
| eptc                   | Varies | ND      | Pass |
| ethiofencarb           | Varies | ND      | Pass |
| ethiofencarb_sulfoxide | Varies | ND      | Pass |
| ethion_lc              | Varies | Not Run | Pass |
| ethiprole              | Varies | ND      | Pass |
| ethirimol              | Varies | ND      | Pass |
| ethoprop               | Varies | Not Run | Pass |
| ethoxyquin             | Varies | Not Run | Pass |
| etoxazole              | Varies | CND     | Pass |
| fenamidone             | Varies | ND      | Pass |
| fenamiphos             | Varies | ND      | Pass |
| fenamiphos_sulfone     | Varies | ND      | Pass |
| fenamiphos_sulfoxide   | Varies | ND      | Pass |
| fenarimol              | Varies | ND      | Pass |
| fenazaquin             | Varies | CND     | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                       |        |         |      |
|-----------------------|--------|---------|------|
| fenbuconazole         | Varies | ND      | Pass |
| fenhexamid            | Varies | ND      | Pass |
| fenoxaprop_p          | Varies | ND      | Pass |
| fenpropimorph         | Varies | ND      | Pass |
| fenpyroximate         | Varies | ND      | Pass |
| fenthion              | Varies | ND      | Pass |
| fenthion_sulfone      | Varies | ND      | Pass |
| fipronil              | Varies | ND      | Pass |
| flamprop_m_isopropyl  | Varies | ND      | Pass |
| flonicamid            | Varies | Not Run | Pass |
| fluazifop             | Varies | ND      | Pass |
| fludioxonil           | Varies | ND      | Pass |
| flufenacet            | Varies | ND      | Pass |
| fluopicolide          | Varies | ND      | Pass |
| fluopyram             | Varies | ND      | Pass |
| fluoxastrobin         | Varies | Not Run | Pass |
| fluquinconazole       | Varies | ND      | Pass |
| fluridone             | Varies | Not Run | Pass |
| flurprimidol          | Varies | ND      | Pass |
| flusilazole           | Varies | ND      | Pass |
| fluthiacet_methyl     | Varies | ND      | Pass |
| flutolanil            | Varies | Not Run | Pass |
| flutriafol            | Varies | ND      | Pass |
| fonofos               | Varies | ND      | Pass |
| forchlorfenuron       | Varies | ND      | Pass |
| fosthiazate           | Varies | ND      | Pass |
| fuberidazole          | Varies | ND      | Pass |
| furalaxyl             | Varies | ND      | Pass |
| haloxyfop_(free_acid) | Varies | ND      | Pass |
| hexaconazole          | Varies | ND      | Pass |
| hexazinone            | Varies | CND     | Pass |
| hexythiazox           | Varies | ND      | Pass |
| icaridin              | Varies | ND      | Pass |
| imazalil              | Varies | ND      | Pass |
| imidacloprid          | Varies | ND      | Pass |
| indoxacarb            | Varies | ND      | Pass |
| iprovalicarb          | Varies | ND      | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                    |        |         |      |
|--------------------|--------|---------|------|
| isofenphos         | Varies | ND      | Pass |
| isoprocarb         | Varies | ND      | Pass |
| isopropalin        | Varies | ND      | Pass |
| isoproturon        | Varies | ND      | Pass |
| kresoxim_methyl    | Varies | ND      | Pass |
| lenacil            | Varies | ND      | Pass |
| linuron            | Varies | ND      | Pass |
| malaoxon           | Varies | ND      | Pass |
| malathion          | Varies | ND      | Pass |
| mandipropamid      | Varies | ND      | Pass |
| mecarbam           | Varies | ND      | Pass |
| mepanipyrim        | Varies | ND      | Pass |
| mepronil           | Varies | ND      | Pass |
| metalaxyl          | Varies | ND      | Pass |
| metamitron         | Varies | ND      | Pass |
| metazachlor        | Varies | ND      | Pass |
| methabenzthiazuron | Varies | ND      | Pass |
| methamidophos      | Varies | ND      | Pass |
| methidathion_lc    | Varies | Not Run | Pass |
| methiocarb         | Varies | Not Run | Pass |
| methomyl           | Varies | ND      | Pass |
| methoxyfenozide    | Varies | ND      | Pass |
| metobromuron       | Varies | ND      | Pass |
| metolachlor        | Varies | ND      | Pass |
| metrafenone        | Varies | ND      | Pass |
| metribuzin         | Varies | ND      | Pass |
| molinate           | Varies | ND      | Pass |
| monolinuron        | Varies | ND      | Pass |
| myclobutanil       | Varies | ND      | Pass |
| napropamide        | Varies | ND      | Pass |
| neburon            | Varies | ND      | Pass |
| nitenpyram         | Varies | ND      | Pass |
| norflurazon        | Varies | ND      | Pass |
| nuarimol           | Varies | ND      | Pass |
| ofurace            | Varies | ND      | Pass |
| omethoate          | Varies | ND      | Pass |
| oxadixyl           | Varies | Not Run | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                      |        |         |      |
|----------------------|--------|---------|------|
| oxydemeton_methyl    | Varies | ND      | Pass |
| penconazole          | Varies | ND      | Pass |
| pencycuron           | Varies | ND      | Pass |
| pethoxamid           | Varies | ND      | Pass |
| phorate_sulfoxide    | Varies | Not Run | Pass |
| picoxystrobin        | Varies | ND      | Pass |
| pirimicarb_desmethyl | Varies | ND      | Pass |
| pirimicarb           | Varies | Not Run | Pass |
| pirimiphos_ethyl     | Varies | ND      | Pass |
| pirimphos_methyl     | Varies | Not Run | Pass |
| prochloraz           | Varies | ND      | Pass |
| profoxydim_lithium   | Varies | ND      | Pass |
| promecarb            | Varies | ND      | Pass |
| prometryn            | Varies | Not Run | Pass |
| pronamide            | Varies | ND      | Pass |
| propamocarb          | Varies | ND      | Pass |
| propaquizafop        | Varies | ND      | Pass |
| propargite           | Varies | ND      | Pass |
| propiconazole        | Varies | ND      | Pass |
| propoxur             | Varies | ND      | Pass |
| propoxycarbazone     | Varies | ND      | Pass |
| proquinazid          | Varies | CND     | Pass |
| prosulfocarb         | Varies | ND      | Pass |
| pymetrozine          | Varies | ND      | Pass |
| pyraclostrobin       | Varies | ND      | Pass |
| pyridaben            | Varies | ND      | Pass |
| pyridaphenthion      | Varies | ND      | Pass |
| pyridate             | Varies | ND      | Pass |
| pyrimethanil         | Varies | ND      | Pass |
| pyriproxyfen         | Varies | ND      | Pass |
| quinclorac           | Varies | ND      | Pass |
| quinmerac            | Varies | ND      | Pass |
| quinoxiphen          | Varies | ND      | Pass |
| quizalofop           | Varies | ND      | Pass |
| resmethrin           | Varies | CND     | Pass |
| rotenone             | Varies | ND      | Pass |
| sethoxydim           | Varies | ND      | Pass |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                     |        |         |      |
|---------------------|--------|---------|------|
| simazine            | Varies | ND      | Pass |
| spinosyn_a          | Varies | ND      | Pass |
| spinosyn_d          | Varies | ND      | Pass |
| spiromesifen        | Varies | ND      | Pass |
| tebuconazole        | Varies | ND      | Pass |
| tebufenozide        | Varies | ND      | Pass |
| tebufenpyrad        | Varies | ND      | Pass |
| tepraloxym          | Varies | ND      | Pass |
| terbufos_sulfone_l  | Varies | ND      | Pass |
| terbufos_sulfoxide  | Varies | ND      | Pass |
| terbuthylazine      | Varies | ND      | Pass |
| terbutryne          | Varies | ND      | Pass |
| tetrachlorvinphos_l | Varies | Not Run | Pass |
| tetraconazole       | Varies | ND      | Pass |
| thiabendazole       | Varies | ND      | Pass |
| thiacloprid         | Varies | ND      | Pass |
| thiadicarb          | Varies | Not Run | Pass |
| thiamethoxam        | Varies | ND      | Pass |
| thiodicarb          | Varies | ND      | Pass |
| thiofanox_sulfone   | Varies | ND      | Pass |
| tralkoxydim         | Varies | ND      | Pass |
| triadimefon         | Varies | Not Run | Pass |
| triadimenol         | Varies | ND      | Pass |
| tribenuron_methyl   | Varies | CND     | Pass |
| trichlorfon         | Varies | ND      | Pass |
| tricyclazole        | Varies | ND      | Pass |
| trifloxystrobin     | Varies | ND      | Pass |
| triflumizole        | Varies | ND      | Pass |
| triflumuron         | Varies | ND      | Pass |
| triticonazole       | Varies | ND      | Pass |
| zoxamide            | Varies | ND      | Pass |

### Residual Solvents

| Analyte            | Tolerance (ppm) <sup>3</sup> | Findings (ug/serving) | Compliance |
|--------------------|------------------------------|-----------------------|------------|
| 1,2-Dichloroethane | 1                            | < USP 467 Limits      | Pass       |
| Acetone            | 5000                         | < USP 467 Limits      | Pass       |
| Acetonitrile       | 410                          | < USP 467 Limits      | Pass       |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>

|                                      |      |                  |      |
|--------------------------------------|------|------------------|------|
| Benzene                              | 1    | < USP 467 Limits | Pass |
| n-Butane                             | 5000 | < USP 467 Limits | Pass |
| Chloroform                           | 1    | < USP 467 Limits | Pass |
| Ethanol                              | 5000 | < USP 467 Limits | Pass |
| Ethyl acetate                        | 5000 | < USP 467 Limits | Pass |
| Ethyl ether                          | 5000 | < USP 467 Limits | Pass |
| Ethylene oxide                       | 1    | < USP 467 Limits | Pass |
| n-Heptane                            | 5000 | < USP 467 Limits | Pass |
| n-Hexane                             | 290  | < USP 467 Limits | Pass |
| Isopropyl alcohol                    | 5000 | < USP 467 Limits | Pass |
| Methanol                             | 3000 | < USP 467 Limits | Pass |
| Methylene chloride                   | 1    | < USP 467 Limits | Pass |
| n-Pentane                            | 5000 | < USP 467 Limits | Pass |
| Propane                              | 5000 | < USP 467 Limits | Pass |
| Toluene                              | 890  | < USP 467 Limits | Pass |
| Total xylenes (ortho-, meta-, para-) | 2170 | < USP 467 Limits | Pass |
| Trichloroethylene                    | 1    | < USP 467 Limits | Pass |

#### Antibiotics

| Analyte      | Tolerance (ug/serving) | Findings (ug/serving) | Compliance |
|--------------|------------------------|-----------------------|------------|
| Tetracycline | Non-detect             | Not Run               | Pass       |
| Ampicillin   | Non-detect             | Not Run               | Pass       |

Ellipse Analytics is an ISO/IEC 17025 accredited laboratory, issued by the ANSI-ASQ National Accreditation Board. Refer to certificate and scope of accreditation L2441. All work is performed in accordance with Ellipse Analytics' Standard Terms and Conditions. Samples are analyzed as received unless otherwise noted, and the results relate solely to the item submitted for analysis. Capsule and soft gel samples are tested as contents only, and results reported per serving are calculated using the fill weight. Average fill weights are available upon request.

<sup>1</sup>Heavy Metals Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>2</sup>Bisphenols Tolerance: <https://oehha.ca.gov/proposition-65/proposition-65-list>

<sup>3</sup>Residual Solvents Tolerance: [https://www.uspnf.com/sites/default/files/usp\\_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf](https://www.uspnf.com/sites/default/files/usp_pdf/EN/USPNF/revisions/gc-467-residual-solvents-ira-20190927.pdf)

<sup>4</sup>Pesticides Tolerance: <https://www.foodchainid.com/regulatory-limits/>